Taka

	Application No.	Applicant(s)
Notice of Allowability	10/820,491	WORTHOFF ET AL.
	Examiner	Art Unit
	Christopher Verdier	3745
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Applicants' Replacement Drawings dated 11-2-05 and the Amendment dated 10-14-05</u> .		
2. The allowed claim(s) is/are <u>1-7 and 9-17</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements</li> </ul>		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	<u> </u>	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary Paper No./Mail Dat</li> </ol>	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	8), 7. 🛛 Examiner's Amenda	nent/Comment
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	8.	ent of Reasons for Allowance

Application/Control Number: 10/820,491

Art Unit: 3745

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Reeser, III, Attorney of Record, on November 2, 2005.

The application has been amended as follows:

## In the Specification:

In paragraph 29, line 5, "110" (first occurrence) has been changed to -- 100 --.

In paragraph 29, line 8, "100" has been changed to -- 110 --.

In paragraph 30, last line, -- at least -- has been inserted after "is".

## In the Claims:

In claim 3, line 2, "that" (first occurrence) has been deleted.

In claim 3, line 2, "that" (last occurrence) has been deleted.

In claim 4, line 3, "at least" has been deleted.

In claim 14, line 2, "at least" has been deleted.

Claims 19 and 20 are canceled.

١,

The above change to the specification has been made to provide antecedent basis for original claim 4, for example. The above changes to claim 3 have been made to correct informalities. The above changes to claims 4 and 14 have been made to clarify that one layer has the claimed thickness. Claims 19-20 have been canceled because they depend on a canceled claim. During the above telephone interview, it was agreed that Applicant would submit a Replacement Sheet of drawings for figure 7, changing reference numeral "50" to -- 110 --. This Replacement Sheet has been received.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Verdier whose telephone number is (571) 272-4824. The examiner can normally be reached on Monday-Friday from 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward K. Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C.V.

November 2, 2005

Christopher Verdier Primary Examiner

Art Unit 3745